



# ABLOY® DOOR HANDLES

ARCHITECTURAL DESIGN

## SURFACE FINISHES

When you're selecting a surface finish and material for a handle, we recommend taking into account not only the overall appearance of the space, but also the operating conditions of the handle and the amount of wear it has to withstand.

### OUR RANGE INCLUDES

- Brass handles which we recommend for use in exterior doors in residential buildings, in public spaces and high traffic doors.
- Stainless steel handles which are suitable for use in both exterior and interior doors in residential buildings, for example.
- Aluminium handles for interior doors in public spaces.
- Zinc handles which are suitable for light interior doors.

To make it easier to find handles in the range, we have created a quick selection table which you can use to check the features available with your favourite handle.


# Ideas and innovations - FINNISH DESIGN

Design means the appearance, feel, ease of use and, above all, functionality of a product. It involves an understanding of needs, innovation and the very best traditions. We want to make everyday life smoother and more secure for you.

The ABLOY DOOR HANDLES bring a whole host of styles to your living environment: modern, traditional, youthful – whatever you desire. Small details add the finishing touches to an overall harmonious look. Abloy's range includes handle models designed by its own in-house design department as well as handles by top Finnish designers, such as Alvar Aalto, Harri Koskinen and Timo Sarpaneva.

### TABLE OF CONTENTS

Surface finishes	3
Abloy door handles	
- Exterior and interior door handles	4
- Interior door handles	14
- Balcony handles	17
- Handles with long plates	18
Panic bars	19
Window handles	20
Escutcheons, coverplates and turning knobs	19
Door handle plate selection	20
Quick handle selection	22



### Antimicrobial ABLOY® ACTIVE



ACTIVE-coating on all painted door fittings!

ABLOY ACTIVE kills 99% of the most common bacteria and is also effective in combating MRSA.

The products in this brochure are available in all RAL colour chart shades to special order.



### ABLOY® DOMUS 12



**Design**  
Harri Koskinen

The inside handle is an ABLOY POLAR handle or alternatively any other handle you'd like.

### ABLOY® DUETTO 8



**Design**  
Janne Loiske

This traditional and stylish DUETTO handle is a combination of classic and distinctive design. The handle is equipped with color panel which can withstand sub-zero temperatures and UV radiation. Panel color options: brown, red, green, blue, light and dark grey.



Our range of exterior and interior door handles includes products suited to both classic and modern design. Strong return springs facilitate the opening and closing of the door and help to keep the handle in the correct position.

### ABLOY® ONCUT 5



**Design**  
Pasi Pänkäläinen

This extremely discreet and elegant handle is a pleasure to look at and use. The handle is suitable for use in public and residential buildings.

### ABLOY® FORUM 4




Minimalist, elegant handle is a high-quality and durable solution for new and renovated spaces

# ABLOY® EXTERIOR AND INTERIOR DOOR HANDLES


## ABLOY® CONSUL 110

Design  
Heikki Siren




## ABLOY® POLAR 6

Design  
Harri Koskinen






## ABLOY® POLAR EXIT 6

Design  
Harri Koskinen




## ABLOY® FORUM EXIT 4




## ABLOY® JOUSI 25


Design  
Timo Sarpaneva



## ABLOY® PARLAMENT 2



## ABLOY® PARLAMENT 22



# ABLOY® EXTERIOR AND INTERIOR DOOR HANDLES

Did you know that...

you can also find suitable interior accessories in the Abloy range?

ABLOY® PRESTO 3-16



ABLOY® PRESTO 3-16S




ABLOY® PRESTO 3-16SS



ABLOY® PRESTO 3-16XS



ABLOY® PRESTO 3-20



ABLOY® PUKINSARVI 180



# ABLOY® EXTERIOR AND INTERIOR DOOR HANDLES

## ABLOY® TUNNE 3

Design  
Mihkell Mäll



## ABLOY® 6647



## ABLOY® ELBOW HANDLE 29




# ABLOY® INOXI EXTERIOR AND INTERIOR DOOR HANDLES


Did you know that...

you can find door pulls in the ABLOY INOXI -series?


ABLOY® INOXI 3-19




ABLOY® INOXI 3-19K



ABLOY® INOXI 3-19S



ABLOY® INOXI 3-19SS



Made of stainless steel, ABLOY INOXI handles are a durable handle option. The simple, elegant design of these handle models provides a touch of luxury to your interior design.




Surface finishes on page 22


# ABLOY® INTERIOR DOOR HANDLES

## ABLOY® ENTER 10


Design  
Ristomatti Ratia




## ABLOY® EXO 28



## ABLOY® FORUM 4



## ABLOY® PRIME 15




Interior door handles are smaller and more delicate handles than their exterior counterparts, and are designed specifically for interior use.


These door handles are made of zinc, which is especially suitable for indoor use. Our wide range of interior door handles also includes handles made from other materials, making for a versatile range of design solutions.



## ABLOY® INTERIA 19




## ABLOY® POLAR 6



## ABLOY® POLARITA 16



Design  
Tapani Holma






ABLOY® INOXI  
3-19/012 PZ+BL




ABLOY® INOXI  
3-19/012 PZ+PZ



ABLOY® INOXI  
3-19/012/120 PZ+BL




ABLOY® INOXI  
3-19/012/120 PZ+PZ



**NEW!**

ABLOY® LONG PLATE




## CONVENIENT EXIT SOLUTION

Panic bar solution keeps the door closed and locked from the outside but allow for hands-free, convenient exit from the inside. ABLOY PANIC BARS are tested clearly above requirements of the EN 1125 standard.

Panic bars can be used with either single or double door solutions and with mechanical or electromechanical lock cases.

**!** The panic bar rail surface finish is stainless steel and the rail's standard length is 1150mm. Panic bars are available in ABLOY COLORS with ACTIVE-coating! **ABLOY® ACTIVE**



## EXIT SOLUTION FOR SCANDINAVIAN RANGE



PBE001 for wooden, metal or narrow stile doors. The outside lever handle must be selected separately. PBE002 for wooden and metal doors. Includes an external anti-burglar plate. PBE003 for narrow stile doors. Includes an external anti-burglar plate. The panic bar rail surface finish is Rt satin, and the rail's standard length is 1150 mm. Surface finishes: Chrome, satin, and brushed nickel

## EXIT SOLUTION FOR DIN RANGE



PBE011 for narrow stile doors



PBE011 for wooden and metal doors



**ABLOY® PARLAMENT 52**



**ABLOY® PRIME 55**



**ABLOY® WF 56**



**ABLOY® WF062, WF152**



**ABLOY® WF063, WF153**



**ABLOY® WF0625**



**ABLOY® WINDOW KEY WF56**



**ESCUTCHEONS ABLOY® LH001**

LH001 A escutcheon



LH001 P coverplate



LH001 turning knob



LH001 PZ coverplate



**ESCUTCHEONS ABLOY® LH002**

LH002 A escutcheon



LH002 P coverplate



LH002 turning knob



LH002 PZ coverplate



**ESCUTCHEONS ABLOY® LH007**

LH007 P coverplate



LH007 turning knob



**ESCUTCHEONS ABLOY® LH008**

LH008 A escutcheon



LH008 P coverplate



**ESCUTCHEONS ABLOY® LH075 PZ**



**ESCUTCHEONS ABLOY® LH042 PZ**



**TURNING KNOB ABLOY® PRESTO LH0340**



# ABLOY® DOOR HANDLE PLATE

Use this table to find suitable escutcheons for your door handles.

Scandinavian: 001, 002, 008, 007, 0650, 0630, 0651, 030, 032, 0321, 0751

DIN: 002, 0750, 0730, 0751, 040, 042, 0421

	<b>LOW TRAFFIC</b> Light interior doors in real estate ESCUTCHEONS SC/DIN	<b>MEDIUM TRAFFIC</b> Exterior door in private properties Interior doors in public buildings ESCUTCHEONS SC/DIN	<b>HIGH TRAFFIC</b> For high-traffic exterior and interior doors ESCUTCHEONS SC/DIN	<b>EXIT</b> Doors on escape routes ESCUTCHEONS FOR THE EXIT HANDLES SC/DIN	
<b>007-PLATE</b> Wooden or metal door plate made of brass to the most common targets.		007	0321/0421	0321/0421	<b>0321 / 0421 -PLATE</b> Wooden or metal plate door for door handle on outside, with inside panic bar.
<b>001-PLATE</b> Wooden or metal door plate made of steel for handle pair light interior door.	001	0650 / 0750	0650/0750	0650/0750	<b>0650 / 0750 -PLATE</b> Narrow stile door plate for handle pair.
<b>002-PLATE</b> Wooden door plate made of stainless steel or brass for light exterior and interior doors.	002	0630 / 0730	0630/0730	0630/0730	<b>0630 / 0730 -PLATE</b> Narrow stile door plate for pull operated lock cases with inside handle indication.
<b>008-PLATE</b> Wooden door plate made of zinc suits for light interior doors.	008	0651 / 0751	0651/0751	0651/0751	<b>0651 / 0751 -PLATE</b> Narrow stile door plate for door handle on outside, with inside panic.
	Material: Brass, steel, stainless steel or zinc	Material: Brass or stainless steel.	Material: Brass or stainless steel.	Material: Brass or stainless steel.	

# ABLOY® QUICK SELECTION TABLE FOR HANDLES

PRODUCT CODE	HANDLE	MATERIAL	SURFACE FINISHES														
			Cr	HCr	DCr	Apr	KiLa	HaLa	Ki	Val	Mus	Har	Gra	Aho	Rst / NiHa	Special	EN179
DH002	PARLAMENT 2	Ms	x	x	x		x		x	x	x	x	x			x	
DH003	TUNNE 3	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH004	FORUM 4	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH005	ONCUT 5	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH006	POLAR 6	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH008	DUETTO 8	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH022	PARLAMENT 22	Ms	x	x	x		x		x	x	x	x	x			x	
DH025	JOUSI 25	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH029	ELBON HANDLE 29	Al								x	x	x	x	x		x	
DH047	6647	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH050	PRESTO 3-16	Ms	x	x	x		x		x	x	x	x	x			x	
DH051	PRESTO 3-16S	Ms	x	x	x		x		x	x	x	x	x			x	
DH052	PRESTO 3-16SS	Ms	x	x	x		x		x	x	x	x	x			x	
DH053	PRESTO 3-16XS	Ms	x	x	x		x		x	x	x	x	x			x	
DH060	PRESTO 3-20	Al	x							x	x	x	x	x		x	
DH070	INOXI 3-19	Rst														x	
DH071	INOXI 3-19S	Rst														x	
DH072	INOXI 3-19SS	Rst														x	
DH073	INOXI 3-19K	Rst														x	
DH110	CONSUL 110	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH180	PUKINSARVI 180	Ms	x	x	x		x		x	x	x	x	x			x	
EH004	FORUM 4 EXIT	Ms	x	x	x	x	x	x	x	x	x	x	x			x	x
EH006	POLAR 6 EXIT	Ms	x	x	x	x	x	x	x	x	x	x	x			x	x
EH060	PRESTO 3-20 EXIT	Al	x							x	x	x	x	x		x	x
EH070	INOXI 3-19 EXIT	Rst														x	x
EH073	INOXI 3-19K	Rst														x	x
DH015	PRIME 15	Ms	x	x	x	x	x	x	x	x	x	x	x			x	

PRODUCT CODE	HANDLE	MATERIAL	SURFACE FINISHES														
			Cr	HCr	DCr	Apr	KiLa	HaLa	Ki	Val	Mus	Har	Gra	Aho	Rst / NiHa	Special	EN179
DH012	DOMUS 12	Ms	x	x	x	x	x	x	x	x	x	x	x			x	
DH015	ENTER 10 / 001	Zn	x	x													
DH015	PRIME 15 / 001	Zn	x	x	x												
DH016	POLARITA 16 / 001	Zn	x	x	x												
DH019	INTERA 19 / 001	Zn	x	x	x												
DH028	EXO 28 / 001	Zn	x	x	x												
DH004	FORUM 4 / 008	Zn	x	x	x												
DH006	POLAR 6 / 008	Zn	x	x	x												

PRODUCT CODE	SURFACE FINISHES														
	Cr	HCr	DCr	Apr	KiLa	HaLa	Ki	Val	Mus	Har	Gra	Aho	Rst / NiHa	Special	EN179
PBE001-PBE003	x	x													
PBE011								x		x	x		x		

KILPITYYPPI	Cr	HCr	DCr	Apr	KiLa	HaLa	Ki	Val	Mus	Har	Gra	Aho	Rst / NiHa	Special	EN179
LH029	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH007	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH119	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH002	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH032	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0321	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH030	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0650	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0651	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0630	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH042	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0421	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH040	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0750	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0751	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
LH0730	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x



ABLOY secures people, property, and business operations on land, at sea, and in the air – in all circumstances.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

**MANUFACTURER:**

**Abloy Oy**

Wahlforssinkatu 20  
P.O. Box 108  
FI-80101 Joensuu | Finland  
Tel. +358 20 599 2501  
[WWW.ABLOY.COM](http://WWW.ABLOY.COM)

